



	Full SAPS (popioły siarczanowe - SA, fosfor - P, siarka - S)			Mid SAPS	Low SAPS
	SA ≤ 1.6%	SA ≤ 1.5%	SA ≤ 1.3%	SA ≤ 0.8%	SA ≤ 0.5%
HTHS ≥ 2.6				<b>MOTUL</b> 8100 Eco-lite 0w20	
HTHS 2.9 ÷ 3.5	<b>ACEA A5/B5</b> <b>MOTUL</b> 8100 Eco-nergy 0w30 8100 Eco-nergy 5w30	<i>Zestawienie opracowane przez</i> <b>Motorils.pl</b> <i>autoryzowany dealer</i> Millers Oils i MOTUL	<b>ACEA A1/B1</b>  XF LL ECO 5w30 EE LL ECO 5w30	<b>ACEA C2</b>  XF LL C2 5w30 Trident LL 5w30  <b>MOTUL</b> 8100 Eco-clean 5w30 8100 Eco-clean 0w30	<b>ACEA C1</b> <b>JASO DL-1</b>  XF LL C1 5w30  <b>MOTUL</b> 8100 Eco-clean+ 5w30
HTHS ≥ 3.5 (HTHS – odporność na zrywanie filmu olejowego w temp. 150°C, a więc lepsze smarowanie w wyższych temperaturach)	<b>ACEA A3/B4</b>  Trident 5w40  <b>MOTUL</b> 8100 X-cess 5w40 8100 X-lite 0w30	<b>ACEA A3/B3</b>  Trident 5w30		<b>ACEA C3</b>  XF / EE LL C3 5w30 XF LL 5w30 XF LL 0w40, 5w40, 5w50 Trident LL 5w30, 5w40  <b>MOTUL</b> 8100 X-clean+ 5w30 8100 X-clean 5w40  <b>ILSAC GF-4</b> <b>MOTUL</b> 8100 X-max 0w40	<b>ACEA C4</b>  XF LL C4 5w30

